

SENSOR LIGHT



SENSOR LIGHT
Market Share
in 2017

JAPAN No. 1

RITEX



Musashi Inc. is the leading manufacture of Sensor Light in Japan for more than 35 years. We have about 65% share in Japan market for outdoor and indoor sensor light. All products are designed in Japan and manufactured in China under quality control of our company.

Company Profile

Company Name : Musashi Inc.
 Address : 551-1, Sato, Heiso-cho, Kakogawa City, Hyogo Pref., 675-1232 Japan
 Office : Distribution/Inspection Center (Kakogawa City)
 Business Office in Niigata Pref. (Sanjo City)
 China Office and Distribution/Inspection Center (Zhejiang Province)
 Guangdong Distribution/Inspection Center (Guangdong Province)
 Marketing Division (Kakogawa City)
 Founded : October 1950
 Established : October 1983
 President and CEO : Atsushi Okamoto
 Number of Employees : 120 (including part-time employees)
 Associated Company : PROTO Co., Ltd.

C o n t e n t s

P 3 Contents
P 4-5 Anywhere sensor light series
P 6-7 Dry cell battery sensor light
P 8-10 Solar sensor light
P 11 LED hybrid solar sensor light
P 12-13 AC LED sensor light with camera
P 14-15 AC sensor light
P 16-18 LED portable sensor light / Anywhere sensor light series
P 19 Rechargable LED light

Anywhere sensor light series

ASL-097

Anywhere LED Sensor Light 300lm

LED PORTABLE SENSOR LIGHT

3w LED

NEW

Long battery life

Main body size(mm)
W108×H140×D94

Package
box

Package size(mm)
W150×H230×D108

Inner carton
—

Outer carton
12

Dry cell

Auto ON/OFF
detectable range
Maximum 100° 4m

Lighting time
Sensor (10/30 sec. ON) /
OFF / Stay-ON

Rainproof

Handy light

Tripod

Magnet

110 lumen
Weak

175 lumen
Middle

300 lumen
Strong

Battery lifetime
1100 days

Battery lifetime
860 days

Battery lifetime
500 days*

10 sec

30 sec

Stay-ON

QRcode

300 lumen

Long life

D×3

Battery lifetime
1100days
(10sec.×10times/day
Brightness: Weak)

Stay-ON mode
54hours

QRcode

* Main body weight: 290g

* Lighting time 10sec.

ASL-090

Anywhere LED Sensor Light

LED PORTABLE SENSOR LIGHT

1w LED

Flexible installation!

Main body size(mm)
W92×H100×D80

Package
box

Package size(mm)
W130×H200×D85

Inner carton
6

Outer carton
24

Dry cell

Auto ON/OFF
detectable range
Maximum 100° 4m

Lighting time
Sensor (10 sec. ON) /
OFF / Stay-ON

Rainproof

Handy light

Tripod

Magnet

Battery lifetime
180days
(10sec.×10times/day)

110 lumen

AA×3

Battery lifetime
180days
(10sec.×10times/day)

Stay-ON mode
7hours

QRcode

* Main body weight: 145g

Common functions: Anywhere series

Auto ON/OFF mode

Stay-ON mode

Handy light

For fence

For pillar

For storage, lockers

For outdoor

360° rotation

Magnet

* ASL-090 / ASL-095 / ASL-097

ASL-092

Anywhere LED Sensor Light Double

LED PORTABLE SENSOR LIGHT

0.75w×2 LED

Light angle flexible

Main body size(mm)
W90×H102×D113

Package
box

Package size(mm)
W130×H200×D100

Inner carton
6

Outer carton
12

Dry cell

Auto ON/OFF
detectable range
Maximum 100° 4m

Lighting time
Sensor (10 sec. ON) /
OFF / Stay-ON

Rainproof

Handy light

Tripod

Magnet

Light angle flexible

Unprecedented freedom of
light distribution

QRcode

170 lumen

Battery lifetime
120days
(10sec.×10times/day)

Stay-ON mode
4.5hours

QRcode

* Main body weight: 200g

ASL-093

Anywhere LED Solar Sensor Light

LED PORTABLE SENSOR LIGHT

1w LED

Solar power
No battery replacement required

Main body size(mm)
W82×H132×D90

Package
box

Package size(mm)
W130×H200×D100

Inner carton
6

Outer carton
12

Solar battery

Auto ON/OFF
detectable range
Maximum 100° 4m

Lighting time
Sensor (10 sec. ON) /
OFF / Stay-ON

Rainproof

Handy light

Tripod

Magnet

Solar power
Energy saving

Light/solar rotate 330°
independently
Efficient power generation toward the sun.

QRcode

110 lumen

Lighting time
adjustment
10sec. ON
per one time
Stay-ON

With full charge
approx.380 time
approx.60 minutes

QRcode

* Main body weight: 250g

ASL-095

Anywhere LED Sensor Light
Toning/Dimming

LED PORTABLE SENSOR LIGHT

2w RGB-LED

Create any light color you like

Main body size(mm)
W92×H100×D80

Package
box

Package size(mm)
W130×H200×D85

Inner carton
6

Outer carton
24

Dry cell

Auto ON/OFF
detectable range
Maximum 100° 4m

Lighting time
Sensor (10 sec. ON) /
OFF / Stay-ON

Rainproof

Handy light

Tripod

Magnet

Toning/dimming function only for ASL-095

Auto ON/OFF mode

Various toning / dimming function of about 1000 colors

Security light / Illumination light

Toning/Dimming

*Toning/dimming is functioned ASL-095 only

110 lumen

Battery lifetime
120days
(10sec.×10times/day)

Stay-ON mode
5hours

QRcode


* Main body weight: 150g




Dry cell battery

Battery-operated. installable anywhere easily

RITEX



Front door/Garage



Lights both front/behind

Corner



Lights widely

On the ceiling



Attachable to ceiling

Flexible arm Dry cell battery

Battery-operated, installable anywhere easily




Garage




Front door



Garden



Backdoor, storage



Path, stairs



Balcony

LED-150

4.5W Wide Battery LED Sensor Light with Flexible Arm

LED BATTERY SENSOR LIGHT

4.5W
LED

Bright battery-operated lamp

Main body size(mm)
W152xH153xD165

Package
box

Package size(mm)
W180xH145xD165

Inner carton
Outer carton
— 6



* Main body weight: 450g



Wide



Long life
D×3
Battery lifetime
660days
(5sec×10times/day)

QRcode



400
lumen

Equal to incandescent lamp 60w

Dry cell

Auto ON/OFF
detectable range
Maximum 140° 6m

Lighting time
5 sec / 20 sec/
20 sec flashing

24 hr guard
with red light

Flashing

Rainproof

LED-265

3.5W×2 LED Sensor Light with Flexible Arm
LED BATTERY SENSOR LIGHT

3.5W×2
LED

Light angle/installation
flexible

Main body size(mm)
W280xH153xD176

Package
box

Package size(mm)
W290xH145xD145

Inner carton
Outer carton
— 6



* Main body weight:530g

Dry cell

Auto ON/OFF
detectable range
Maximum 140° 6m

Lighting time
5 sec / 20 sec/
20 sec flashing

24 hr guard
with red light

Flashing

Rainproof



Long life
D×3
Battery lifetime
420days
(5sec×10times/day)

600
lumen

Equal to incandescent lamp 100w

QRcode



LED-135

3.5W×1 LED Sensor Light with Flexible Arm
LED BATTERY SENSOR LIGHT

3.5W
LED

Amazing 840days
battery lifetime

Main body size(mm)
W98xH153xD176

Package
box

Package size(mm)
W185xH145xD110

Inner carton
Outer carton
— 6



* Main body weight:400g

Dry cell

Auto ON/OFF
detectable range
Maximum 140° 6m

Lighting time
5 sec / 20 sec/
20 sec flashing

24 hr guard
with red light

Flashing

Rainproof



Long life
D×3
Battery lifetime
840days
(5sec×10times/day)

300
lumen

Equal to incandescent lamp 50w

QRcode



LED-225

1.3W×2 LED Sensor Light with Flexible Arm
LED BATTERY SENSOR LIGHT

1.3W×2
LED

Light angle/installation
flexible

Main body size(mm)
W242xH135xD156

Package
box

Package size(mm)
W260xH145xD125

Inner carton
Outer carton
— 12



* Main body weight:400g

Dry cell

Auto ON/OFF
detectable range
Maximum 140° 6m

Lighting time
10 seconds

Rainproof



AA×3
Battery lifetime
90days
(10sec×10times/day)

220
lumen

Equal to incandescent lamp 30w

QRcode



AA×3
Battery lifetime
180days
(10sec×10times/day)

110
lumen

Equal to incandescent lamp 15w

QRcode



LED-115

1.3W×1 LED Sensor Light with Flexible Arm
LED BATTERY SENSOR LIGHT

1.3W
LED

Compact

Main body size(mm)
W88xH135xD156

Package
box

Package size(mm)
W175xH145xD100

Inner carton
Outer carton
— 12



* Main body weight:280g

Dry cell

Auto ON/OFF
detectable range
Maximum 140° 6m

Lighting time
10 seconds

Rainproof





Solar




No power supply and energy saving.
Charging in daytime, lighting / crime prevention at night.

RITEX



Flexible arm
Solar

No power supply and energy saving



S-90L

5W×3 LED Solar Sensor Light
with Flexible Arm
LED SOLAR SENSOR LIGHT

5W×3
LED

3 lights with large light intensity

Main body size(mm) W295×H146×D125
Package box
Package size(mm) W230×H180×D195
Inner carton Outer carton — 6
4 954849 530906

* Main body weight: 650g
Solar panel size:
W176×H211×D50 400g



GOOD
DESIGN

1400
lumen

Equal to incandescent lamp 210w

Lighting time adjustment	With full charge
20sec. ON per one time	approx. 125times.
5sec. ON per one time	approx. 500times.



Solar battery	Auto ON/OFF detectable range Maximum 140° 8m	Lighting time 5 sec / 20 sec/ 20 sec flashing	24 hr guard with red light	Flashing	Rainproof
---------------	--	---	-------------------------------	----------	-----------

S-80L

8W Wide LED Solar Sensor Light
with Flexible Arm
LED SOLAR SENSOR LIGHT

8W
LED

Super bright by solar power

Main body size(mm) W152×H153×D165
Package box
Package size(mm) W200×H145×D190
Inner carton Outer carton — 6



* Main body weight: 420g
Solar panel size:
W100×H191×D50 220g

Lighting time adjustment	With full charge
20sec. ON per one time	approx. 80times.
5sec. ON per one time	approx. 320times.



*Cord length: 5m



800
lumen

Equal to incandescent lamp 120w

Solar battery	Auto ON/OFF detectable range Maximum 140° 6m	Lighting time 5 sec / 20 sec/ 20 sec flashing	24 hr guard with red light	Flashing	Rainproof
---------------	--	---	-------------------------------	----------	-----------

S-25L

1.3W×2 LED Solar Sensor Light
with Flexible Arm
LED SOLAR SENSOR LIGHT

1.3W×2
LED

Light angle/installation flexible
Wide lighting area

Main body size(mm) W242×H135×D156
Package box
Package size(mm) W250×H145×D165
Inner carton Outer carton — 6



* Main body weight: 400g
Solar panel size:
W100×H191×D50 220g

Lighting time adjustment	With full charge
10sec. ON per one time	approx. 300times.



*Cord length: 5m



220
lumen

Equal to incandescent lamp 30w

Solar battery	Auto ON/OFF detectable range Maximum 140° 6m	Lighting time 10 seconds	24 hr guard with red light	Rainproof	*Clamp is optional.
---------------	--	-----------------------------	-------------------------------	-----------	---------------------

S-15L

1.3W×1 LED Solar Sensor Light
with Flexible Arm
LED SOLAR SENSOR LIGHT

1.3W
LED

Light angle/installation flexible

Main body size(mm) W88×H135×D156
Package box
Package size(mm) W210×H145×D130
Inner carton Outer carton — 6



* Main body weight: 280g
Solar panel size:
W100×H191×D50 220g

Lighting time adjustment	With full charge
10sec. ON per one time	approx. 600times.



*Cord length: 5m



110
lumen

Equal to incandescent lamp 15w

Solar battery	Auto ON/OFF detectable range Maximum 140° 6m	Lighting time 10 seconds	24 hr guard with red light	Rainproof	*Clamp is optional.
---------------	--	-----------------------------	-------------------------------	-----------	---------------------



Solar

No power supply and energy saving.
Charging in daytime, lighting / crime prevention at night.



LED hybrid
solar light

Solar power + dry cell battery
Charging in daytime, lighting / crime prevention at night.

RITEK

S-30L

3W×1 LED Solar Sensor Light

LED SOLAR SENSOR LIGHT

3W
LED

No electricity

Main body size(mm)
W67×H188×D147

Package
box

Package size(mm)
W225×H145×D135

Inner carton
Outer carton



* Main body weight: 230g
Solar panel size:
W98×H196×D50 230g

Lighting time adjustment	With full charge
15sec. ON per one time	approx. 200 times.
5sec. ON per one time	approx. 600 times.

Solar battery

Auto ON/OFF
detectable range
Maximum 140° 6m

Lighting time
5 sec / 15 sec /
15 sec flashing

24 hr guard
with red light

Flashing

Rainproof

Warm white lens



*Cord length: 5m

240
lumen

Equal to incandescent lamp 50w

S-65L

3W×2 LED Solar Sensor Light

LED SOLAR SENSOR LIGHT

3W×2
LED

No electricity
Wide lighting area

Main body size(mm)
W185×H155×D135

Package
box

Package size(mm)
W188×H145×D170

Inner carton
Outer carton



* Main body weight: 320g
Solar panel size:
W98×H196×D50 230g



Wide

Lighting time adjustment	With full charge
15sec. ON per one time	approx. 160 times.
5sec. ON per one time	approx. 480 times.

Solar battery

Auto ON/OFF
detectable range
Maximum 140° 6m

Lighting time
5 sec / 15 sec /
15 sec flashing

24 hr guard
with red light

Flashing

Rainproof

Warm white lens



*Cord length: 5m

480
lumen

Equal to incandescent lamp 100w

Flashing



Warm white lens




24 hr guard
with red light



With light
emission ring



Area mask



Common functions: S-30L / S-65L

With clamp

With clamp

With screw

S-HB20

1W×2 LED Hybrid
Solar Sensor Light

HYBRID LED SENSOR LIGHT

1W×2
LED

HYBRID



Solar power



Dry cell battery

Main body size(mm)
W155×H167×D110

Package
box

Package size(mm)
W198×H122×D176

Inner carton
Outer carton



* Main body weight: 330g
Solar panel size:
W67×H145×D50 150g

	Solar	Dry cell
10sec. ON per one time	With full charge approx. 150 times	10sec. ON per one time approx. 400 times

Hybrid
(Solar+ Dry cell)

Auto ON/OFF
detectable range
Maximum 140° 8m

Lighting time
10 seconds

24 hr guard
with red light

Rainproof



Easily attachable vertically/horizontally



*Cord length: 5m

180
lumen

Equal to incandescent lamp 20w

S-HB10

1W×1 LED Hybrid
Solar Sensor Light

HYBRID LED SENSOR LIGHT

1W
LED

HYBRID



Solar power



Dry cell battery

Main body size(mm)
W85×H155×D137

Package
box

Package size(mm)
W168×H122×D160

Inner carton
Outer carton



* Main body weight: 260g
Solar panel size:
W67×H145×D50 150g

	Solar	Dry cell
10sec. ON per one time	With full charge approx. 300 times	10sec. ON per one time approx. 800 times

Hybrid
(Solar+ Dry cell)

Auto ON/OFF
detectable range
Maximum 140° 8m

Lighting time
10 seconds

24 hr guard
with red light

Rainproof



Easily attachable vertically/horizontally



*Cord length: 5m


90
lumen

Equal to incandescent lamp 10w

Features of hybrid solar sensor light

Charging solar power in daytime.
Dry cell battery supports when charging is insufficient.

HYBRID





AC

8W×2 LED Sensor Light with Camera

RITEX

LED sensor light
 ×
 Security camera

Sensor light with camera



Effect of sensor light × security camera

Conventional night vision camera



This product



Warning with light and recording with camera

Perfect evidence in color with light up

Conventional night vision camera






920,000 Hi-vision pixels

This product





920,000 Hi-vision pixels

Simple installation! Ready to use / easy crime prevention



*Recording will start regardless of day and night by sensor detection.

Free direction of camera & light



C-AC8160

8W×2 Sensor Light with Camera

LED SENSOR LIGHT

8W×2
LED

Sensor light with camera

Main body size(mm)
W295×H146×D132

Package
box

Package size(mm)
W230×H145×D150

Inner carton Outer carton
— 6



* Main body weight: 860g



Sensor light

AC 100-240V

Auto ON/OFF
detectable range
Maximum 140° 8m

Lighting time
15 sec. ~ 5 minutes

24 hr guard
with red light

Mode change
Night light ON/OFF
(Lit at about 10% brightness)

Rainproof

Camera

Number of
effective pixels
920,000 pixels

Image quality
High definition

Lighting time
15 sec. or more

Max. recording time
1.5 hours
(Micro SD card 8GB included)

Recording media
Micro SDHC card 8GB
(included)

Camera shooting
range
Horizontal 65°, 6m

Rainproof



GOOD
DESIGN

1500
lumen

Equal to halogen lamp 300w



AC

LED sensor light with flexible arm series

RITEX



12W LED sensor light with flexible arm series

AC 100-240V	Auto ON/OFF detectable range Maximum 140° 8m	Lighting time 5 sec. - 5 minutes	24 hr guard with red light	Rainproof	Cord length 3m	String switch
-------------	---	-------------------------------------	----------------------------	-----------	-------------------	---------------

To be a
floodlight!



With mounting parts

Installable on a floodlight stand
(Commercial goods)

QRcode



LED-AC1012

12W×1 LED Sensor Light with Flexible Arm

LED SENSOR LIGHT

Main body size(mm)
W104×H146×D125

Package: box

Package size(mm)
W160×H135×D120Inner carton
—Outer carton
6

* Main body weight: 540g

12w
LED

Flexible light

GOOD
DESIGN1000
lumen

Equal to halogen lamp 200w

LED-AC2024

12W×2 LED Sensor Light with Flexible Arm

LED SENSOR LIGHT

Main body size(mm)
W313×H146×D125

Package: box

Package size(mm)
W230×H135×D150Inner carton
—Outer carton
6

* Main body weight: 780g

12w×2
LED

Flexible twin light

GOOD
DESIGN2000
lumen

Equal to halogen lamp 400w

LED-AC3036

12W×3 LED Sensor Light with Flexible Arm

LED SENSOR LIGHT

Main body size(mm)
W322×H146×D125

Package: box

Package size(mm)
W230×H135×D150Inner carton
—Outer carton
6

* Main body weight: 920g

12w×3
LED

Triple super wide light

GOOD
DESIGN3000
lumen

Equal to halogen lamp 600w



8W LED sensor light with flexible arm series

AC 100-240V	Auto ON/OFF detectable range Maximum 140° 8m	Lighting time 5 sec. - 5 minutes	24 hr guard with red light	Rainproof	Cord length 3m
-------------	---	-------------------------------------	----------------------------	-----------	-------------------

QRcode



LED-AC1008

8W×1 LED Sensor Light with Flexible Arm

LED SENSOR LIGHT

Main body size(mm)
W95×H146×D125Package
boxInner carton
—Outer carton
6Package size(mm)
W160×H135×D120Inner carton
—Outer carton
6

* Main body weight: 510g

8w
LED

Flexible light

750
lumen

Equal to halogen lamp 150w

LED-AC2016

8W×2 LED Sensor Light with Flexible Arm

LED SENSOR LIGHT

Main body size(mm)
W295×H146×D125Package
boxInner carton
—Outer carton
6Package size(mm)
W230×H135×D150Inner carton
—Outer carton
6

* Main body weight: 730g

8w×2
LED

Flexible twin light

1500
lumen

Equal to halogen lamp 300w

LED-AC3024

8W×3 LED Sensor Light with Flexible Arm

LED SENSOR LIGHT

Main body size(mm)
W295×H146×D125Package
boxInner carton
—Outer carton
6Package size(mm)
W230×H135×D150Inner carton
—Outer carton
6

* Main body weight: 850g

8w×3
LED

Triple super wide light

2250
lumen

Equal to halogen lamp 450w

4W LED sensor light

LED-AC103

4W LED Sensor Light

LED SENSOR LIGHT

Main body size(mm)
W70×H90×D158Package
boxInner carton
—Outer carton
12Package size(mm)
W160×H115×D103Inner carton
—Outer carton
12

* Main body weight: 300g

4w
LED

Compact and economical light

QRcode
AC103300
lumen

Equal to halogen lamp 60w

*Clamp is optional.

ASL-035

Anywhere Welcome Sensor Light with Flashlight

LED PORTABLE SENSOR LIGHT

0.5w LED

Hospitality light
Handy light

Main body size(mm)
W55×H220×D55

Package
Box

Package size(mm)
W75×H270×D65

Inner carton
6

Outer carton
36

Sensor mode

Auto ON by sensor

Entrance

Flashlight

Stay-ON mode

Flashlight

Reading light

Emergency light

Emergency light

Useful function

Sensor light

Flashlight

Emergency light

Reading light

4 type

Flashlight

40 lumen

Sensor light

30 lumen

AAA×3

Battery lifetime
140days
(10sec×10times/day)

Stay-ON mode
9hours

Dry cell

Auto ON/OFF detectable range
Maximum 100° 4m

Lighting time
Sensor (10 sec. ON) /
OFF / Stay-ON

Indoor

Auto lit softly
*sensor mode

4 954849 990311

* Main body weight: 120g



ASL-020

LED Sensor Slim Light

LED PORTABLE SENSOR LIGHT

0.2w LED

Slim fluorescent tube
Bright and beautiful

Main body size(mm)
W40×H165×D39

Package
Card/Blister

Package size(mm)
W99×H272×D48

Inner carton
10

Outer carton
100

* Main body weight: 80g

4 560226 445024

Lights ON by motion sensor
when gets dark

Portable by detaching
from holder

As a small light, place it on

Auto ON/OFF mode

Stay-ON mode

Dry cell

Auto ON/OFF detectable range
Maximum 100° 4m

Lighting time
Sensor (30 sec. ON) /
OFF / Stay-ON

Indoor

Detachable holder

AA×3

Battery lifetime
200days
(10sec×10times/day)

Stay-ON mode
40hours

11.6 lumen

ASL-030

LED Sensor Slim Light with Flashlight

LED PORTABLE SENSOR LIGHT

0.2w LED

3 functions by 1 unit

Auto ON/OFF mode

Table light

Flashlight

Main body size(mm)
W45×H195×D45

Package
Card/Blister

Package size(mm)
W120×H272×D55

Inner carton
10

Outer carton
40

* Main body weight: 130g

4 954849 990304

Auto ON/OFF mode

Table light

Flashlight

Dry cell

Auto ON/OFF detectable range
Maximum 100° 4m

Lighting time
Sensor (20 sec. ON) /
OFF / Stay-ON

Indoor

Flashlight

Detachable holder

AA×3

Battery lifetime
300days
(10sec×10times/day)

Stay-ON mode
Slim tube: 25hours
Flashlight: 35hours

11.6 lumen

*Slim tube

ASL-050

LED Sensor Slim Light DX

LED PORTABLE SENSOR LIGHT

1w + 0.1w LED

High-luminance 1W LED

Auto ON/OFF mode

Stay-ON mode

Attachable sideways

Main body size(mm)
W42×H203×D56

Package
Card/Blister

Package size(mm)
W120×H272×D65

Inner carton
10

Outer carton
40

* Main body weight: 160g

4 954849 990502

Auto ON/OFF mode

Stay-ON mode

Attachable sideways

Dry cell

Auto ON/OFF detectable range
Maximum 100° 4m

Lighting time
Sensor (20 sec. ON) /
OFF / Stay-ON

Indoor

Flashlight

Detachable holder

C×3

Battery lifetime
200days
(10sec×10times/day)

Stay-ON mode
20hours

88 lumen

GS-150

Portable Sensor Light Mini

LED PORTABLE SENSOR LIGHT

0.25w LED

Easy installation
with magnet, hook, pins

Auto ON/OFF mode

Magnet

Small and super light weight

Main body size(mm)
W38×H70×D33

Package
Card/Blister

Package size(mm)
W100×H140×D45

Inner carton
10

Outer carton
100

* Main body weight: 70g

4 954849 991509

Auto ON/OFF mode

Magnet

Small and super light weight

Dry cell

Auto ON/OFF detectable range
Maximum 100° 4m

Lighting time
Sensor (10 sec. ON) /
OFF / Stay-ON

Indoor

Detachable holder

AAA×3

Battery lifetime
270days
(10sec×10times/day)

Stay-ON mode
18hours

14.5 lumen

ASL-080

Interior LED Sensor Light (Blister package)

LED PORTABLE SENSOR LIGHT

0.5w LED

For table light, bedside
Interior light with motion sensor

44 lumen

Card / Blister

Box

Main body size(mm)
W75×H150×D39

Package
Card/Blister

Package size(mm)
W120×H250×D57

Inner carton
10

Outer carton
40

* Main body weight: 120g

4 954849 990809

4 954849 990816

4 954849 990823

ASL-080(LG)
Light gray

ASL-080(P)
Pink

ASL-080(Y)
Yellow

Auto ON/OFF detectable range
Maximum 100° 4m

Lighting time
Sensor (20 sec. ON) /
OFF / Stay-ON

Indoor

Slowly ON /
Slowly OFF

Detachable holder

AA×4

Battery lifetime
180days
(10sec×10times/day)

Stay-ON mode
12hours

GS-100(LG)
Light gray

GS-100(P)
Pink

GS-100(Y)
Yellow

GS-100

Interior LED Sensor Light (Box package)

LED PORTABLE SENSOR LIGHT

Main body size(mm)
W75×H150×D39

Package
Box

Package size(mm)
W110×H195×D50

Inner carton
6

Outer carton
24

* Main body weight: 120g

4 954849 931000

4 954849 931109

4 954849 931208

16

17

ASL-018

Anywhere LED Sensor Light Pop-eye

LED PORTABLE SENSOR LIGHT

0.5w LED

NEW

Freely adjustable light and sensor

Main body size(mm)
W85xH84xD28

Package Card/Blister

Package size(mm)
W130xH200xD100

Inner carton 6
Outer carton 36

Freely adjustable light and sensor

Lights desired direction

With card

Push pin
*not included

Stand

Toilet at night

Storage

Entrance

AAA
x3

Battery lifetime
140days
(10sec. x 10 times/day)

Stay-ON mode
9hours

30
lumen

Dry cell

Auto ON/OFF detectable range
Maximum 100° 3m

Lighting time
Sensor (10 sec. ON) /
OFF / Stay-ON

Indoor

Flashlight

Card

ASL-025

Anywhere Slim Sensor Light

LED PORTABLE SENSOR LIGHT

0.3Wx2 LED

NEW

Light angle flexible

Main body size(mm)
W35xH185xD41

Package Card/Blister

Package size(mm)
W100xH270xD43

Inner carton 6
Outer carton 36

Light angle flexible

Side view

Light 60°
Body 60°
Light 60°

Top view

30°
30°
Irradiation range

Flexible installation

Entrance

Cupboard

Storage

Flashlight

AAA
x3

Battery lifetime
100days
(10sec. x 10 times/day)

Stay-ON mode
7.5hours

30
lumen

Dry cell

Auto ON/OFF detectable range
Maximum 100° 3m

Lighting time
Sensor (10 sec. ON) /
OFF / Stay-ON

Indoor

Flashlight

Card

AL-300

Rechargeable LED Soft Light with Sensor

LED HOME LIGHT

Auto ON with motion sensor

Relief in emergencies

Main body size(mm)
W67xH144xD61
*with charging holder

Package Card/Blister

Package size(mm)
W120xH270xD70

Inner carton 6
Outer carton 36

QRcode

Main body weight: 135g

Sensor Light

Auto ON with motion sensor

Night light

Auto ON when gets dark

Flashlight

Lights ON when taken in hand

Emergency/ flickering light

Auto ON at power failure
Flickering as rescue signal

*with Full charge

10hours

4.5hours

9hours

45hours

Convenient anytime

Entrance

Auto night light when gets dark

Welcome lamp

Walk at night

Bedroom

Foot light

Night light

Sensor light

Bathroom

Relief in emergencies

On power outage

In emergency

Auto emergency light

Flash light

Flickering light for rescue signal

Lithium-ion rechargeable battery

Auto ON/OFF detectable range
Maximum 100° 4m

Light sensor

5 kinds of glowing modes

Flashlight

Indoor

Charging holder

Motion sensor

80
lumen

*Flashlight

AL-200

Rechargeable LED Soft Light

LED HOME LIGHT

High brightness LED

Auto ON at power failure

Main body size(mm)
W57xH112xD54
*with charging holder

Package Card/Blister

Package size(mm)
W120xH220xD55

Inner carton 6
Outer carton 36

QRcode

Main body weight: 100g

Night light

Auto ON when gets dark

Flashlight

Lights ON when taken in hand

Emergency light

Auto ON at power failure

1hour

1hour with full charge

Nichel-hydrogen rechargeable battery

ON / OFF / AUTO

Light sensor

Flashlight

Indoor

Charging holder

20
lumen

*Flashlight

AL-100

Rechargeable LED Home Light

LED HOME LIGHT

Rechargeable type, reliable at power outages

Ready to use when needed

Main body size(mm)
W98xH110xD58
*with charging holder

Package Card/Blister

Package size(mm)
W120xH220xD65

Inner carton 10
Outer carton 40

QRcode

Main body weight: 100g

Flashlight

Night light

Emergency light

Lithium-ion rechargeable battery

ON / OFF / AUTO

Light sensor

Flashlight

Indoor

Charging holder

17.4
lumen

*Flashlight

*Stay-ON: 5hours with full charge

18

19

<http://www.634634.jp/english/>



551-1, Sato, Heiso-cho, Kakogawa City, Hyogo Pref., 675-1232 Japan

Telephone : +81-79-458-4080

Facsimile : +81-79-429-0333

global@musashi-mfg.com